

Oil Depositor

WE Eco 500 Depositor

Oil Depositor

Entry level filler for ease of use and no tool strip down

Low air consumption

Displacement up to 500ml per stroke

Hopper capacity 30 litres (standard)

High or low frame mounting possible

Cut off nozzles from our extensive range to ensure clean, repeatable presentation

For all products with particulates up to 20mm

Product fill temperatures from 0 degrees up to 40 degree Celsius

Ideal for short production runs

We can also offer used depositors from Turbo Systems, Apple, Unifiller.

For further information contact Total Food Machines on 02890 994 202 or email sales@totalfoodmachines.com



Direct Web Link

<https://totalfoodmachines.com/machine/7725/oil-depositor>

More Images









EC0500 Depositor

Standard Features

- Entry level filler for ease of use and no-tool strip down.
- Low air consumption.
- Displacement up to 530ml per stroke.
- Hopper capacity 35 litres.
- High or low level orientation.
- Cut off nozzles from our extensive range to ensure clean, repeatable presentation.
- For hot & cold product with particulates up to 20mm.
- Ideal for short production runs.





totalfoodmachines.com



Total Food Machines,
Hillfarm,
Crossgar,
Co. Down,
BT30 9ET

Tel: 028 9099 4202
Web: www.totalfoodmachines.com